

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	HIROSE-YUKITOSHI.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:26
S2	1	HIROSE-YUKITOSHI.in. and (memory adj module.clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:26
S3	7508	(711/115,154,112 365/230.05,63). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:30
S4	259	S3 and (unidirectional\$2 uni-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:31
S5	701	711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:31
S6	36	S5 and (unidirectional\$2 uni-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:35
S7	1366	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:58
S8	1	S7 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:57

EAST Search History

S9	15199	(unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:58
S10	19	S9 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:39
S11	8758	(hot near2 (plug\$4 swap\$4 add addable upgrade\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45
S12	171	S9 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45
S13	20	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:49
S14	654	S11 and (memory near2 module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:44
S15	1383	S11 and ring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:44
S16	47	S9 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:44

EAST Search History

S17	4	S9 and S11 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45
S18	37	S5 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:49
S19	19527	(unidirectional\$2 uni-directional\$2) same (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:56
S20	24	S19 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:57
S21	1317	(unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:58
S22	82	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:52
S23	2	S22 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 20:00
S24	3461	(replac\$3 switch\$3 remov\$3 mov\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:00

EAST Search History

S25	883	(replac\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:12
S26	40	S25 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:04
S27	1	S26 and ((copy\$3 copied) with disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:05
S28	19	S25 and ((copy\$3 copied) with disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:08
S29	25	S25 and ((copy\$3 copied backup back-up (back adj up)) with disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:18
S30	18	("5051887" "5390187" "5544347" "5553231" "5588110" "5615329" "5632013" "5692155" "5742792" "5761705" "5802561" "5864657" "5913927" "5917723" "6108684" "6199074").PN. OR ("6571324").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/28 20:11
S31	714	(replac\$3) near3 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:13
S32	18	S31 and ((short near2 circuit) short-circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:14

EAST Search History

S33	81	S5 and (copy\$3 copied backup back-up (back adj up)) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:36
S34	5	S33 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:25
S35	4	S5 and dummy near2 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:28
S36	5	S5 and dummy near5 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:32
S37	6	S24 same (dummy near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:29
S38	116	S24 and ((short-circuit) short near2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:32
S39	11	S5 and ((short-circuit) short near2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:32
S40	16	S5 and ((module cartridge) with (copy\$3 copied backup back-up (back adj up)) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:35

EAST Search History

S41	8	S5 and (mirror\$3) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:38
S42	1547	(module cartridge) same ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:39
S43	919	(module cartridge) with ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:45
S44	16	S43 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:45
S46	459	S11 and ((copy\$3 copied backup back-up (back adj up)) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:50
S47	32	S11 and ((module cartridge) with ((copy\$3 copied backup back-up (back adj up)) with (disk drive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S48	3	S11 and (memory near2 (module cartridge) with ((copy\$3 copied backup back-up (back adj up)) with (disk drive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:52
S49	231	memory near2 (module cartridge) with ((copy\$3 copied backup back-up (back adj up)) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57

EAST Search History

S50	28	S49 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:53
S51	337	S11 and ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S52	32	S11 and ((module cartridge) with ((mirror\$3) with (disk drive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S53	21	memory near2 (module cartridge) with ((mirror\$3) with (disk drive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/28 20:57
S54	7508	(711/115,154,112 365/230.05,63). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:52
S55	82	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2) with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:52
S56	2	S55 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:55
S57	18	("5051887" "5390187" "5544347" "5553231" "5588110" "5615329" "5632013" "5692155" "5742792" "5761705" "5802561" "5864657" "5913927" "5917723" "6108684" "6199074").PN. OR ("6571324"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/29 16:53

EAST Search History

S59	5	S57 and memory near2 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 16:55
S60	86569	(copy\$3 back\$3-up (back\$3 near2 up) mirror\$3) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:01
S61	94182	(copy\$3 backup back\$3-up (back\$3 near2 up) mirror\$3) with (disk drive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:02
S62	233	(copy\$3 backup back\$3-up (back\$3 near2 up) mirror\$3) with (disk drive) with (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:01
S63	3462	(replac\$3 switch\$3 remov\$3 mov\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:28
S64	143	S63 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:02
S65	52	S64 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:20
S66	15200	(unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:03

EAST Search History

S67	12	S64 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:03
S68	5	S64 and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:21
S69	21	S63 and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:21
S70	2	"5974506".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:31
S71	461	(mirror\$3 copy\$3) near3 cache with disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:32
S72	35	(mirror\$3 copy\$3) near3 ((cache memory) near2 (module cartridge)) with disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:41
S73	5	(mirror\$3 copy\$3) near3 ((memory) near2 (module cartridge)) near5 (disk drive HDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:43
S74	25	(mirror\$3 copy\$3) near3 ((memory) near2 (module cartridge)) with (disk drive HDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:47

EAST Search History

S75	1361	"ring bus"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:46
S76	701	711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:46
S77	3	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:47
S78	19528	(unidirectional\$2 uni-directional\$2) same (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:47
S79	60	S75 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:49
S80	1366	switch\$3 with (unidirectional\$2 uni-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 19:55
S81	2	S75 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 17:52
S82	4	S63 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 19:54

EAST Search History

S83	14	711/115.ccls. and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:10
S84	10	711/115.ccls. and 711/162.ccls. and disk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:10
S85	372	S63 and (access\$3 read\$3) near5 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:29
S86	82	S64 and (access\$3 read\$3) near5 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:31
S87	4	S64 and ((access\$3 read\$3) near5 (disk)) and 711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:30
S88	3	S64 and ((access\$3 read\$3) near5 (disk)) and 711/162.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:30
S89	70	S64 and (access\$3 read\$3) near3 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:32
S90	883	(replac\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:33

EAST Search History

S91	15	S90 and S61 and (access\$3 read\$3) near3 (disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 18:33
S93	19	S80 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:31
S94	24	switch\$3 with (monodirectional\$2 mono-directional\$2) with (bidirectional\$2 bi-directional\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 19:56
S95	3	(dummy near2 (module cartridge)) same (short-circuit (short near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:33
S96	34	(dummy near2 (module cartridge)) same (close)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:33
S97	84	(dummy near2 (module cartridge)) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:38
S98	29	S97 and ("711".clas. "365".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:36
S99	14	(null near2 (module cartridge)) same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 21:39

EAST Search History

S10 1	4968	memory near graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 2	3	S101 and 711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:47
S10 3	328	S101 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 4	3462	(replac\$3 switch\$3 remov\$3 mov\$3) near5 (memory near2 (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 5	29	S101 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 6	11891	memory near2 graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 7	58	S106 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/29 23:23
S10 8	14	(mirror\$3 copy\$3) with (module cartridge) with ((open free unused unallocated) near2 (area memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:06

EAST Search History

S10 9	10983	(short-pin) (short near2 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:06
S11 1	54	S109 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:18
S11 2	702	711/115.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:07
S11 3	13	S109 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:49
S11 4	576	S109 with ((short-circuit) (short near2 circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:46
S11 5	41	S114 same (memory (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:34
S11 6	2	S114 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21
S11 7	145	IRSS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21

EAST Search History

S11 8	9	S112 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21
S11 9	17	S117 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:21
S12 0	920	S109 with circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:33
S12 1	68	S120 same (memory (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:42
S12 2	6601	((short-circuit) (short near2 circuit)) near2 (device connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:41
S12 3	1	S122 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:41
S12 4	1	S122 and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:46
S12 5	96	S122 and "365".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:41

EAST Search History

S12 6	404	S122 same (memory (module cartridge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:42
S12 7	12	S122 same (memory (module cartridge)) same insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:42
S12 8	1	(pin with ((short-circuit) (short near2 circuit))) and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:46
S12 9	4	(pin with ((short-circuit) (short near2 circuit))) and "711".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:47
S13 0	28	S122 and "714".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:47
S13 1	135	S109 with close	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:50
S13 5	1	FET and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 00:49
S13 8	30	FET and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:09

EAST Search History

S13 9	10905	FET near2 switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:10
S14 0	8	S139 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:09
S14 1	28	(FET near2 switch) with memory near2 (module cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:14
S14 2	24	\$3FET and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 01:12

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

"ring bus" "memory module"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about **166** for "[ring bus](#)" "[memory module](#)". (0.12 seconds)

[\[PDF\] Design of A Novel Real-Shared **Memory Module** for High Performance ...](#)

File Format: PDF/Adobe Acrobat

real-shared **memory module** called "RSM". 2. Multiport **Ring-Bus** Architecture. In this design, we implement the data sharing ...
doi.ieeecomputersociety.org/10.1109/AINA.2004.1283795 -

[Similar pages](#)

[Design of A Novel Real-Shared **Memory Module** for High Performance ...](#)

We propose a novel real-shared **memory module** with multiports which is called ... to utilize the high bandwidth "multiport **ring-bus**" architecture in order to ...

csdl.computer.org/comp/proceedings/aina/2004/2051/02/205120241abs.htm - [Similar pages](#)

[Signal processing system including a bus control module - Patent ...](#)

A signal processing system that includes a **ring bus**; a multiplicity of system ... information to any bulk **memory module**, which is a global-high density, ...

www.freepatentsonline.com/4821174.html - 53k -

[Cached](#) - [Similar pages](#)

[Dual-port buffer-to-memory interface - Patent 6742098](#)

Methods and apparatus for a memory system using a new **memory module** architecture are ... An advantage of the **ring bus** architecture is that it allows ...

www.freepatentsonline.com/6742098.html - 57k -

[Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

[Design of a novel real-shared **memory module** for high performance ...](#)

File Format: Unrecognized

evaluate the performance of **memory module**. Shared. Memory. Element(64Kbyte). Interface. Control Unit. **Ring Bus**. Interface Unit ...
ieeexplore.ieee.org/iel5/9028/28653/01283795.pdf?arnumber=1283795
- Supplemental Result - [Similar pages](#)

[ATI Enters The X1000 Promised Land | Tom's Hardware](#)

Described as a "**ring bus**," this new superhighway allows for traffic to not ... The memory controller then sends a command to the correct **memory module**. ...

www.tomshardware.com/2005/10/06/ati_enters_the_x1000_promised_land/page9.html - [Similar pages](#)

[www.hardwarezone.com® :: Articles - Coolest Hardware, Hottest Reviews](#)

This is none other than ATI's new **Ring Bus** memory architecture, arguably one of ... architecture when such graphics **memory module** are in mass production. ...

[Sponsored Links](#)

[Memory Modules For Less](#)
Save On Memory Modules!
Free **Memory Module** Analysis
www.UpgradeMemory.com

[Memory Modules](#)
Search Our Huge Selection of
Quality Electronic Components Today
www.digikey.com

[Crucial Memory Upgrades](#)
The Crucial Memory Advisor Tool
Finds The Right Upgrade For You.
Crucial.com

[Ram Bus](#)
Automatically Find 100% Compatible
Memory, Great Deals, Free Shipping
www.4AllMemory.com

[Tiffany & Co. Rings](#)
Shop the Official Tiffany & Co.
site for Tiffany rings.
www.Tiffany.com

[512MB DDR Ram \\$35](#)
Catch this Amazing Deal - Ultra
512MB DDR Memory - Buy Now!
www.tigerdirect.com

[Memory Ring](#)
Bargain Prices.
You want it, we got it!
BizRate.com

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

"daisy chain" "memory module"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about **16,800** for "**daisy chain**" "**memory module**". (0.22 seconds)

Glossary Search Results

Daisy Chain - In computer terminology, this refers to connecting one device ... DIMM (Dual In-Line **Memory Module**) - A circuit board with memory chips on it, ...
www.geek.com/glossary/glossary_search.cgi?d - 123k - May 28, 2006 - [Cached](#) - [Similar pages](#)

Sponsored Links

[Memory Modules For Less](#)
[Save On Memory Modules!](#)
[Free **Memory Module** Analysis](#)
www.UpgradeMemory.com

Soft Configuration Enhances Flexibility of Handheld

Computer Memory

These lines are used in a serial "**daisy chain**" to establish an order as ... assume that an HP-71B is configured with a 4K-byte plug-in **memory module** in port ...
www.hpmuseum.org/journals/71b.htm - 20k - [Cached](#) - [Similar pages](#)

[Crucial Memory Upgrades](#)
[Our System Scanner Finds The Right Upgrade For You. Plus Free Shipping](#)
Crucial.com

[Memory Necklace](#)
[Memory Necklace](#)
[100% return guarantee. Shop today!](#)
www.CollectiblesToday.com

(WO 2004/109525) MEMORY MODULE ARCHITECTURE

DAISY CHAIN TOPOLOGY ...

(54), **MEMORY MODULE ARCHITECTURE DAISY CHAIN TOPOLOGY** DETECTS AND REPORTS PRESENCE OF OUTER **MEMORY MODULE** TO INNER MODULE ...
[www.wipo.org/ipdl/IPDL-CIMAGES/view/pct/getbykey5?](http://www.wipo.org/ipdl/IPDL-CIMAGES/view/pct/getbykey5?KEY=04/109525.050127)
[KEY=04/109525.050127](#) - 33k - [Cached](#) - [Similar pages](#)

[PDF] Rambus 32 and 64 bit RIMM Module

File Format: PDF/Adobe Acrobat - [View as HTML](#)
supplied from a **memory module**: increased width and frequency. ... sequencing in **daisy chain** between devices, A clock, SCK, and a command signal. ...
www.rambus.com/downloads/RIMM3264_06.12.pdf - [Similar pages](#)

[PDF] Microsoft PowerPoint - RDRAM Module.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Memory Module(M). 2. Module Configuration. D : 32 bit RIMM ... DS : **DAISY CHAIN MDL**. G6 : 53.3ns/ 600Mbps (300MHz). K7 : 45ns/ 711Mbps (356MHz) ...
www.samsung.com/Products/Semiconductor/Support/Label_CodeInfo/RDRAM_Module.pdf
- [Similar pages](#)

VFBGA - Daisy Chain

Memory Module Support · **Advanced Bus Interface** · **Device Nomenclature** ... VFBGA: **Daisy Chain**. [clear gif](#). **Daisy Chain Net Lists**. **Related Products**. - **Military** ...
[focus.ti.com/logic/docs/generalcontent.tsp?](http://focus.ti.com/logic/docs/generalcontent.tsp?templateId=5985&navigationId=11442&contentId=4149)
[templateId=5985&navigationId=11442&contentId=4149](#) - 50k - [Cached](#) - [Similar pages](#)

LFBGA - Daisy Chain Net Lists

Memory Module Support ... TI Home > Logic > Logic Packaging > LFBGA > **Daisy Chain Net Lists**. [ADD TO MYTI](#). LFBGA: **Daisy Chain Net Lists**. [clear gif](#) ...
[focus.ti.com/logic/docs/generalcontent.tsp?](http://focus.ti.com/logic/docs/generalcontent.tsp?templateId=5985&navigationId=11443&contentId=4143)
[templateId=5985&navigationId=11443&contentId=4143](#) - 50k - [Cached](#) - [Similar pages](#)

GE Security Products - Computer Accessories

GE Security offers a 512 Mb **Memory M dule** For Poweredge 2600. ... GE Security offers a

